











## PC Case Fan - LED

Fantastic Thermal Solution

### IceLight LED Fan Series 8025 / 12025



#### ► Electrical Specifications

Model	IceLight 8025 (blue color / four color light)	IceLight 12025 (blue color / four color light)
Operation Voltage (V DC)	6.0-13.8	6.0-13.8
Rated Voltage (V DC)	12	12
Rated Current (AMP)	0.15	0.13
Input Power (W)	1.8	1.56
Bearing System	Sleeve	Sleeve
Fan Speed (RPM)	1700 (±10%)	1000(±250%)
Air Volume (CFM)	24.5	45.8
Airflow (m3/min)	0.69	1.29
Static Pressure (mmH2O)	1.04	0.85
Noise Level (dBA)	19	20
Safety	CE, UL	CE, UL
MTBF (hours / 25°C)	30000	30000
Dimension (mm)	80×80×25	120×120×25
Weight	90	150



## Notebook PC Cooling Pad

Fantastic Thermal Solution

### IcePad Series 1300 / 1600



Notebook Cooling Pad

#### ► Features

- Ergonomics design
- Easy to use
- Dual 7 cm silent fans

#### ► Electrical Specifications

Model	IcePad 1300 (silver / black)	IcePad 1600 (silver / black)
Cooler Dimension (mm)	300 × 130 × 38	350 × 130 × 38
Fan Speed (RPM)	1600 (per fan)	1600 (per fan)
Fan Dimension (mm)	7.0 × 7.0 × 10	7.0 × 7.0 × 10
Rated Voltage (V DC)	5	5



## Thermal Grease

Fantastic Thermal Solution

### IceTherm I / II



#### ► Features

- High Thermal Conductivity
- Non-Electrical Conductive
- Non-Corrosive
- No Bleeding
- No Curing
- Easy to Print

#### ► Electrical Specifications

• IceTherm I		• IceTherm II	
Thermal Conductivity (W/m-k)	4.5	Thermal Conductivity (W/m-k)	8.1
Operation Temperature (°C)	-30~180°C	Operation Temperature (°C)	-40~100°C
Color	Light Gray	Color	Gray
Net weight (gram)	1.5	Net weight (gram)	1.5

## HDD Cooler

Fantastic Thermal Solution

### IceCore1 Series 3.5"



3.5" Hard Disc  
Thermal Solution

#### ► Electrical Specifications

Cooler Dimension (mm)	130 × 101 × 18
Cooler Weight (gram)	300
Fan Bearing Type	Sleeve Bearing
Fan Speed	1800 RPM per fan
Fan Rated Voltage	DC 12V
Fan Dimension (mm)	60 × 60 × 15



#### Taiwan (Headquarter)

9Fl., No.352, Sec. 2, Jung Shan Rd.,  
Jung He City, Taipei, Taiwan, 235, R.O.C.

Tel: +886 2 2244-1227  
Fax: + 886 2 2244-1228  
Website: www.GlacialTech.com  
E-mail: sales@glacialtech.com

#### China

深圳市福田區濱河大道聯合廣場A座20樓2007室  
電話: +86-755-82910998; +86-755-82910738  
+86-755-82910463  
傳真: +86-755-82910628  
Website: www.GlacialTech.com.cn  
E-mail: sales@glacialtech.com.cn

• FAN APPROVED BY CE & TUV & UL  
• The specifications are subject to change without notice. All brand names and trademarks are the properties of their respective owners.

For further information, please consult our website: www.GlacialTech.com  
© 2010 GlacialTech Inc. All rights reserved.

