GlacialTech®
Enlighten Your Humanity

Panel Light Installation Instructions

(安裝前請先詳細閱讀說明書)

Step	Photograph	Description
	有 Type A 及 Type B 可選 Choose Type A (for concrete and wooden ceilings) or Type B installation kit (for wooden ceilings)	
		Type A 配件(適用水泥及木質板) Type A installation kit (for concrete and wooden ceilings) (含 Drive 高度) (Note: the mounting stand is designed for a driver) ❶ 支架/40mm x 4 pcs 4 x 40mm stands ❷ 塑膠膨脹管 x 4 pcs 4 x Plastic expansion pipes ❸ M4*30 螺絲 x 4 pcs 4 x M4*30 screws ❹ M3*8 螺絲 x 4 pcs 4 x M3*8 screws ❺ 定位軟塞 x 6 pcs 6 x Soft plugs for positioning
		Type B 配件(適用木質板) Type B installation kit (for wooden ceilings) (吸頂不含 Drive 高度) (Note: The mounting stand is NOT designed to contain a driver.) ❶ 支架/20mm x 4 pcs 4 x 20mm stands ❷ 塑膠膨脹管 x 4 pcs 4 x Plastic expansion pipes ❸ M4*30 螺絲 x 4 pcs 4 x M4*30 screws ❹ M3*8 螺絲 x 4 pcs 4 x M3*8 screws ❺ 定位軟塞 x 6 pcs 6 x Soft plugs for positioning

1.		將 Panel Light 背面向上平放 Place the panel light with the back facing up.
2.		將配件❶置於如圖示的位子 (Type A 及 Type B 相同步驟) Place a stand (❶) in the position depicted in the picture. (Same procedure for Type A and Type B installation kits.)
3.		配件❹螺絲/鎖緊(左) 注意:對齊邊框(平行對齊) Connect a stand with a M3*8 screw to the left corner (facing you) of the panel light (❹) as shown in the picture.
4.		配件❹螺絲/鎖緊(右) 注意:對齊邊框(平行對齊) Connect another stand to the right corner (facing you) of the panel light with a M3*8 screw (❹) as shown in the picture. (Note: Align the stands parallel to panel light.)

5.		取出配件❺定位軟塞，黏膠面朝上， 由下往上推至凸出 Push the soft plugs(❺) into the slots in the stands from the bottom with the sticker surface facing up.
6.		配件❺定位軟塞 需凸出配件支架約 2mm Make sure the soft plug sticks about 2mm up from the stand.
7.		依序以水平方向將配件❶鎖上, 重複步驟 3 到 7，依序將配件❶鎖上 注意:四個配件支架需同方向 Place two stands (❶) on the opposite side (not facing you) of the panel and ensure the stands are in parallel positions. Repeat the steps 3 to 7 for the two remaining stands.
8.		請將欲安裝的天花板區域清潔乾淨 Before mounting ensure the ceiling is clean. 將 Panel Light 置於天花板， 確保配件❶及配件❺平整的貼在天花板上 Hang the panel light from the ceiling and ensure the stand (❶) and the soft plug (❺) touch the ceiling evenly. 注意:此動作需 2 人配合 (Note: Two people are needed to mount the panel light.)

9.		依序將四邊配件❺往天花板(向上)壓緊 並確保配件❺已黏住天花板後才可取下 Panel Light Make sure all of the four soft plugs (❺) are attached on to the ceiling. 注意:此動作需 2 人配合 (Note: Two people are needed to mount the panel light.)
10.		將 Panel Light 小心取下放置一旁 Carefully pull the panel light down without ripping the soft plugs off the ceiling.
11.		Panel Light 取下後，天花板黏有四個配件❺的定位軟塞 Ensure that all of the four soft plugs are attached to the ceiling as shown in the picture.
12.		請用 8mm 鑽頭，用電鑽向四個配件❺中心鑽入約 5cm 深度。 Drill a 5cm deep hole with a 8mm drill through each of the soft plugs.

13.		將配件❷放入鑽好的四個洞 Put a plastic expansion pipe (❷) into each of the holes.
14.		將配件❷壓入洞中與天花板切齊 Make sure the plastic expansion pipe (❷) goes into the holes as shown in the picture.
15.		將配件❸鎖入配件❷內，保留配件❸外露約6mm，依序完成四個定位點 Screw a M4*30 screw into each of the plastic expansion pipes. (Note: Make sure each of the screws remain 6mm exposed.)
16.		Type A installation kit 將 Panel Light 電源線接上 drive 電源線 Connect the power cord of the panel light with the driver. (安裝 driver 前，請先關閉 AC 電源) (Note: Turn off AC power before installing the driver.)

17.		將 Panel Light 四邊配件❶的中心圓孔對準四顆螺絲，並向上穿入。 注意:需四邊同時 Attach the stands on the panel light to the screws on the ceiling. (Note: All four stands need to be pushed up at the same time.)
18.		貼住天花板後將 Panel Light 向左(或右)推動 To connect the panel light to the screws push the panel either to the left or right depending on preference. 注意:需四邊同時 確定四邊都卡住後即可放手 (Note: All four sides need to be pushed up at the same time.)
19.		完成後，配件將垂吊緊附於螺絲 The panel light is now securely mounted.
20.		Type A 完成圖 Type A driver 可放置 Panel Light 背面 The installation with Type A installation kit is now finished. The driver can be placed on top of the panel light.

Type B		
		Type B 因配件高度關係,diver 需先放置木質天花版上 When using Type B installation kit, the driver should be mounted on the ceiling before mounting the panel light.
1.		安裝 Type B 於步驟 16. 預安裝處挖至少 60mm 孔洞，並將 drive 接上 AC 電源 (安裝 driver 前，請先關閉 AC 電源) The driver needs a 60mm hole in the ceiling for it to be securely mounted. The driver should only be connected to AC power after drilling this hole. (Note: Turn off AC power before installing the driver.)
2.		將 drive 置入孔洞內 Place the driver inside the hole.
3.		完成支架安裝後，銜接 Panel Light 電源線與 drive 電源線，即完成安裝 After the panel light has been securely mounted connect the panel light power cord to the driver.
4.		Type B 完成圖 The installation with Type B installation kit is now finished.